

Recent Observations in Surfactant Pharmacology: Translation Impact for Neonatal Care

Thomas H. Shaffer, MS.E., PhD

Comparative effectiveness of surfactant preparations in premature infants.

Trembath A, Hornik CP, Clark R, Smith PB, Daniels J, Laughon M; Best Pharmaceuticals for Children Act—Pediatric Trials Network.

J Pediatr. 2013 Oct;163(4):955-60.e1. doi: 10.1016/j.jpeds.2013.04.053.

PMID: 23769501

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3779477/>

Better neonatal outcomes: oxygen, surfactant and drug delivery. Preface.

Hallman M, Curstedt T, Halliday HL, Saugstad OD, Speer CP.

Neonatology. 2013;103(4):316-9. doi: 10.1159/000349948.

PMID: 23736008

<http://www.karger.com/Article/FullText/349948>

Acute and sustained effects of aerosolized vs. bolus surfactant therapy in premature lambs with respiratory distress syndrome.

Rey-Santano C, Mielgo VE, Andres L, Ruiz-del-Yerro E, Valls-i-Soler A, Murgia X.

Pediatr Res. 2013 May;73(5):639-46. doi: 10.1038/pr.2013.24.

PMID: 23403804

<http://www.nature.com/pr/journal/v73/n5/full/pr201324a.html>

Bubble nasal CPAP, early surfactant treatment, and rapid extubation are associated with decreased incidence of bronchopulmonary dysplasia in very-low-birth-weight newborns: efficacy and safety considerations.

Friedman CA, Menchaca RC, Baker MC, Rivas CK, Laberge RN, Rios EH, Haider SH, Romero EJ, Eason EB, Fraley JK, Woldesenbet M.

Respir Care. 2013 Jul;58(7):1134-42.

PMID: 23106970

<http://rc.rcjournal.com/content/58/7/1134.full>

The role of surfactant in respiratory distress syndrome.

Ma CC, Ma S.

Open Respir Med J. 2012;6:44-53. doi: 10.2174/1874306401206010044.

PMID: 22859930

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3409350/>

Lucinactant attenuates pulmonary inflammatory response, preserves lung structure, and improves physiologic outcomes in a preterm lamb model of RDS.

Wolfson MR, Wu J, Hubert TL, Gregory TJ, Mazela J, Shaffer TH.

Pediatr Res. 2012 Oct;72(4):375-83. doi: 10.1038/pr.2012.96.

PMID: 22821059

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3888789/>

Neonatal non-invasive respiratory support: physiological implications.

Shaffer TH, Alapati D, Greenspan JS, Wolfson MR.

Pediatr Pulmonol. 2012 Sep;47(9):837-47. doi: 10.1002/ppul.22610.

PMID: 22777738

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3762325/>

[

Randomized trial comparing 3 approaches to the initial respiratory management of preterm neonates.

Dunn MS, Kaempf J, de Klerk A, de Klerk R, Reilly M, Howard D, Ferrelli K, O'Connor J, Soll RF; Vermont Oxford Network DRM Study Group.

Pediatrics. 2011 Nov;128(5):e1069-76. doi: 10.1542/peds.2010-3848.

PMID: 22025591

<http://pediatrics.aappublications.org/content/128/5/e1069.long>

The future of exogenous surfactant therapy.

Willson DF, Notter RH.

Respir Care. 2011 Sep;56(9):1369-86; discussion 1386-8. doi: 10.4187/respcare.01306..

PMID: 21944686

<http://rc.rcjournal.com/content/56/9/1369.full>

KL4-surfactant (Lucinactant) protects human airway epithelium from hyperoxia.

Zhu Y, Miller TL, Chidekel A, Shaffer TH.

Pediatr Res. 2008 Aug;64(2):154-8. doi: 10.1203/PDR.0b013e318175dd14.

PMID: 18391844

<http://www.nature.com/pr/journal/v64/n2/full/pr2008166a.html#close>

Attempts to Minimize Invasiveness During the Acute Period: Where Do We Go From Here?

Jan Mazela

The OPTIMIST-A trial: evaluation of minimally-invasive surfactant therapy in preterm infants 25-28 weeks gestation.

Dargaville PA, Kamlin CO, De Paoli AG, Carlin JB, Orsini F, Soll RF, Davis PG.
BMC Pediatr. 2014 Aug 27;14:213. doi: 10.1186/1471-2431-14-213.

PMID: 25164872

<http://www.biomedcentral.com/1471-2431/14/213>

Respiratory support in preterm infants at birth.

Committee on Fetus and Newborn; American Academy of Pediatrics.
Pediatrics. 2014 Jan;133(1):171-4. doi: 10.1542/peds.2013-3442.

PMID: 24379228

<http://pediatrics.aappublications.org/content/133/1/171.long>

Surfactant replacement therapy for preterm and term neonates with respiratory distress.

Polin RA, Carlo WA; Committee on Fetus and Newborn; American Academy of Pediatrics.
Pediatrics. 2014 Jan;133(1):156-63. doi: 10.1542/peds.2013-3443.

PMID: 24379227

<http://pediatrics.aappublications.org/content/133/1/156.long>

Non-invasive versus invasive respiratory support in preterm infants at birth: systematic review and meta-analysis.

Schmölzer GM, Kumar M, Pichler G, Aziz K, O'Reilly M, Cheung PY.
BMJ. 2013 Oct 17;347:f5980. doi: 10.1136/bmj.f5980. Erratum in: BMJ. 2014;348:g58.

PMID: 24136633

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3805496/>

Exogenous surfactant therapy in 2013: what is next? Who, when and how should we treat newborn infants in the future?

Lopez E, Gascoin G, Flamant C, Merhi M, Tourneux P, Baud O; French Young Neonatologist Club.

BMC Pediatr. 2013 Oct 10;13:165. doi: 10.1186/1471-2431-13-165.

PMID: 24112693

<http://www.biomedcentral.com/1471-2431/13/165>

A trial comparing noninvasive ventilation strategies in preterm infants.

Kirpalani H, Millar D, Lemyre B, Yoder BA, Chiu A, Roberts RS; NIPPV Study Group.
N Engl J Med. 2013 Aug 15;369(7):611-20. doi: 10.1056/NEJMoa1214533.

PMID: 23944299

<http://www.nejm.org/doi/full/10.1056/NEJMoa1214533>

AARC Clinical Practice Guideline. Surfactant replacement therapy: 2013.

Walsh BK, Daigle B, DiBlasi RM, Restrepo RD; American Association for Respiratory Care. Respir Care. 2013 Feb;58(2):367-75. doi: 10.4187/respcare.02189.

PMID: 23359726

<http://rc.rcjournal.com/content/58/2/367.full>

Neonatal noninvasive ventilation techniques: do we really need to intubate?

DiBlasi RM.

Respir Care. 2011 Sep;56(9):1273-94; discussion 1295-7. doi: 10.4187/respcare.01376. Review.

PMID: 21944681

<http://rc.rcjournal.com/content/56/9/1273.full>

Aerosol delivery to ventilated newborn infants: historical challenges and new directions.

Mazela J, Polin RA.

Eur J Pediatr. 2011 Apr;170(4):433-44. doi: 10.1007/s00431-010-1292-6.

PMID: 20878336

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3059826/>

Early CPAP versus surfactant in extremely preterm infants.

SUPPORT Study Group of the Eunice Kennedy Shriver NICHD Neonatal Research Network, Finer NN, Carlo WA, Walsh MC, Rich W, Gantz MG, Lupton AR, Yoder BA, Faix RG, Das A, Poole WK, Donovan EF, Newman NS, Ambalavanan N, Frantz ID 3rd, Buchter S, Sánchez PJ, Kennedy KA, Laroia N, Poindexter BB, Cotten CM, Van Meurs KP, Duara S, Narendran V, Sood BG, O'Shea TM, Bell EF, Bhandari V, Watterberg KL, Higgins RD.

N Engl J Med. 2010 May 27;362(21):1970-9. doi: 10.1056/NEJMoa0911783. Erratum in: N Engl J Med. 2010 Jun 10;362(23):2235.

PMID: 20472939

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3071534/>

Clinical practice : noninvasive respiratory support in newborns.

de Winter JP, de Vries MA, Zimmermann LJ.

Eur J Pediatr. 2010 Jul;169(7):777-82. doi: 10.1007/s00431-010-1159-x.

PMID: 20179966

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2876262/>

Principles of surfactant replacement.

Robertson B, Halliday HL.

Biochim Biophys Acta. 1998 Nov 19;1408(2-3):346-61.

PMID: 9813384

<http://www.sciencedirect.com/science/article/pii/S0925443998000805>

New Directions: Respiratory Support in Neonates

Martin Keszler, MD

The journey towards lung protective respiratory support in preterm neonates.

Berger TM, Fontana M, Stocker M.

Neonatology. 2013;104(4):265-74. doi: 10.1159/000354419..

PMID: 24107385

<http://www.karger.com/Article/FullText/354419>

Automated closed loop control of inspired oxygen concentration.

Claire N, Bancalari E.

Respir Care. 2013 Jan;58(1):151-61. doi: 10.4187/respcare.01955.

PMID: 23271825

<http://rc.rcjournal.com/content/58/1/151.full>

Neurally adjusted ventilatory assist in neonates weighing <1500 grams: a retrospective analysis.

Stein H, Howard D.

J Pediatr. 2012 May;160(5):786-9.e1. doi: 10.1016/j.jpeds.2011.10.014..

PMID: 2137670

<http://www.sciencedirect.com/science/article/pii/S0022347611010535>

Mechanical ventilation of the premature neonate.

Brown MK, DiBlasi RM.

Respir Care. 2011 Sep;56(9):1298-311; discussion 1311-3. doi: 10.4187/respcare.01429.

PMID: 21944682

<http://rc.rcjournal.com/content/56/9/1298.full>

Volume-targeted versus pressure-limited ventilation for preterm infants: a systematic review and meta-analysis.

Wheeler KI, Klingenberg C, Morley CJ, Davis PG.

Neonatology. 2011;100(3):219-27. doi: 10.1159/000326080.

PMID: 21701210

<http://www.karger.com/Article/FullText/326080>

Mechanical ventilation of the neonate: should we target volume or pressure?

Donn SM, Boon W.

Respir Care. 2009 Sep;54(9):1236-43.

PMID: 19712499

<http://rc.rcjournal.com/content/54/9/1236.full.pdf+html>

Effect of sustained inflation length on establishing functional residual capacity at birth in ventilated premature rabbits.

te Pas AB, Siew M, Wallace MJ, Kitchen MJ, Fouras A, Lewis RA, Yagi N, Uesugi K, Donath S, Davis PG, Morley CJ, Hooper SB.

Pediatr Res. 2009 Sep;66(3):295-300. doi: 10.1203/PDR.0b013e3181b1bca4.

PMID: 19542905 <http://www.nature.com/pr/journal/v66/n3/full/pr2009204a.html>

Automatic control of the inspired oxygen fraction in preterm infants: a randomized crossover trial.

Urschitz MS, Horn W, Seyfang A, Hallenberger A, Herberts T, Miksch S, Popow C, Müller-Hansen I, Poets CF.

Am J Respir Crit Care Med. 2004 Nov 15;170(10):1095-100.

PMID: 15347564 <http://www.atsjournals.org/doi/pdf/10.1164/rccm.200407-929OC>